



HYDRAULIC



TORNADO

STAND-ALONE LIFT



FOLLOW US!





TORNADO LIFT

Model

Capacity

Lift Range

Capacity at Max Lifting Range

Bunk Length

Frame Length

Frame Width

Weight

Leg Length Available

Optional Glo-Guides™
(Patent Pending)

12 Volt DC H.D pump
and solar package,
enclosed in a
polycarbonate lock box.
(Other AC/DC power
options are available)



2 Remotes

All side beam hinge
pins have a heavy
duty Nylatron
bushing through a
welded aluminum
sleeve

Proprietary saddle extrusion
for secure beam
connection, using 3/8"
stainless steel hardware

Oversized


TL-2	TL-4.5	TL-6	TL-8	TL-10	TL-12	TL-15	TL-18	TL-24	TL-32
2,000	4,500	6,000	8,000	10,000	12,000	15,000	18,000	24,000	32,000
48"	48"/60"/72"	48"/60"/72"	48"/60"/72"	48"/60"/72"	48"/60"/72"	48"/60"/72"	60"	60"	60"
2,000	4,500	6,000	8,000	10,000	12,000	15,000	18,000	24,000	32,000
8'	12'	12'	12'	16'	16'	20'	16'6"	25'	25'
102"	144"	144"	144"	168"	168"	204"	204"	288"	288"
72"	120"	120"	120"	120"	132"	145"	145"	145"	145"
507 lbs	879 lbs	918 lbs	1028 lbs	1227 lbs	1240 lbs	1757 lbs	2301 lbs	2644 lbs	4400 lbs
4'-16'	4'-16'	4'-16'	4'-16'	4'-16'	4'-16'	4'-16'	4'-16'	4'-16'	4'-16'



The Golden Exclusive Multi-Bunk can be used for V-Hull boats, Step-Hull boats, Pontoon, or Deck boats (Patent Pending)




Golden Exclusive Air Bellow protects the stainless steel hydraulic shaft from marine growth and harsh underwater environment (Patent Pending)



Standard 2 1/2" cylinder and optional 3" for extra power when needed

Cross Beam

Optional Stainless Steel Cylinders



To learn more about our Tornado Lift, call our team of experts at 239-337-4141 or visit us on the web: www.goldenboatlifts.com

GOLDEN® *Boat Lifts*

